
ONE SIDED CAPPING BEAM W/ ACCESS **OVERVIEW** SCALE 1:30



IMPORTANT NOTES:

y st

SAFER / CREENER / MORE EFFECIENT & SUSTAINABLE

MAKE SURE THAT EACH UPPER BRACKET IS POSITIONED EXACTLY OVER THE SUPPORT BRACKET AND FIXED THROUGH PLYWOOD WITH TENSILE BOLTS!!!.

THE BOTTOM SHUTTER PLYWOOD HAS TO BE CUT OUT WITH A JIGSAW, USING A TEMPLATE TO FORM THE SHAPE OF THE RECESSES OF THE SHEET PILING. USE SILICONE SEALANT TO PREVENT ANY GROUT FROM LEAKING OUT.

ALL TIMBER MEMBERS SHOWN TO BE PROVIDED BY CLIENT.

e m s

IMPORTANT:

CONSULT YOUR TEMPORARY WORKS DEPARTMENT BEFORE USING THIS DESIGN FOR CONSTRUCTION.

Fast-Form www.fastformsystems.com info@fastformsystems.com Made in Britain

Tel South: 00 44 (0) 0203 507 1832 / 507 1833 / 507 1834

Tel North: 00 44 (0) 1472 488230 / 488660 / 485640



DN31 2TG

IMPORTANT:

COSTUMER IS TO ENSURE THAT DURING POUR OPERATIONS CONCRETE IS PLACED IN AN EVEN MANNER PREVENTING THE IMBALANCE OF ANY FORCES. CONCRETE PLACEMENT IS TO BE CONTROLLED TO AVOID ADVERSE FORCES FROM HEAPING, SURGE AND IMPACT.

LEGAL NOTICE:

Fast Form ™ is the Trade Mark of Fast-Form Systems Ltd and all copyright and intellectual property belong to the company. Fast Form ™ is Patent granted, Patent number GB2508263 and is covered by a Worldwide Patent PCT/GB2014/052586 and further patent application No 1506126.0. Copyright or Trade Mark infringements will be prosecuted, If you see any similar bracket in operation without our name on it please send us an email to info@fastformsystems.com we offer a reward for all successful prosecutions.

IMPORTANT:

ALL FBS BOLTS TO BE INSTALLED ACCORDING TO THE FISCHER'S TECHNICAL APPROVAL ETA - II/0095 AND INSTALLATION GUIDES.

Drawn By: Karol Podsiadlo **Date:** 04/06/15 Rev: A Designed by: Tony White **Drawing no:** FFS-CBOS2

Project: One Sided Capping Beam

Drawing title: Overview